


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Help](#)

Welcome United States Patent and Trademark Office

 [Search Results](#)
[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)
 [e-mail](#)

Results for "((common-base) or (common-gate) and lna)<in>metadata"

Your search matched 272 of 1351285 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[New Search](#)**Modify Search**


 [Check to search only within this results set](#)
Display Format: [Citation](#) [Citation & Abstract](#)» **Key**

IEEE JNL IEEE Journal or Magazine

[Select All](#) [Deselect All](#)View: 1-25 | [26-50](#) [51-75](#) [76-100](#) [101-125](#) [126-150](#) [151-175](#) [176-200](#) [201-225](#) [226-250](#) [251-272](#)

IEE JNL IEE Journal or Magazine

1. **Design considerations for CMOS low-noise amplifiers**

Allstot, D.J.; Xiaoyong Li; Shekhar, S.;

[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 2004, Digest of Papers, 2004 IEEE](#)

6-8 June 2004 Page(s):97 - 100

Digital Object Identifier 10.1109/RFIC.2004.1320538

[AbstractPlus](#) | [Full Text: PDF\(330 KB\)](#) [IEEE CNF](#)[Rights and Permissions](#)

2. **G-band (140-220 GHz) and W-band (75-110 GHz) InP DHBT medium power amplifiers**

Paidi, V.K.; Griffith, Z.; Yun Wei; Dahlstrom, M.; Urteaga, M.; Parthasarathy, N.; Munkyo Seo; Sam Rodwell, M.J.W.;

[Microwave Theory and Techniques, IEEE Transactions on](#)

Volume 53, Issue 2, Feb 2005 Page(s):598 - 605

Digital Object Identifier 10.1109/TMTT.2004.840662

[AbstractPlus](#) | [Full Text: PDF\(952 KB\)](#) [IEEE JNL](#)[Rights and Permissions](#)

3. **2.4 GHz 0.35 /spl mu/m CMOS single-ended LNA and mixer with gain enhancement technique**

Jen-Yi Su; Chinchun Meng; Yang-Han Li; Sheng-Che Tseng; Guo-Wei Huang;

[Microwave Conference Proceedings, 2005, APMC 2005, Asia-Pacific Conference Proceedings](#)

Volume 3, 4-7 Dec. 2005 Page(s):4 pp.

Digital Object Identifier 10.1109/APMC.2005.1606584

[AbstractPlus](#) | [Full Text: PDF\(480 KB\)](#) [IEEE CNF](#)[Rights and Permissions](#)

4. **A performance optimized CMOS distributed LNA for UWB receivers**

Heydari, P.; Lin, D.;

[Custom Integrated Circuits Conference, 2005, Proceedings of the IEEE 2005](#)

18-21 Sept. 2005 Page(s):337 - 340

Digital Object Identifier 10.1109/CICC.2005.1568674

[AbstractPlus](#) | [Full Text: PDF\(295 KB\)](#) [IEEE CNF](#)[Rights and Permissions](#)

5. **G/sub m/-boosted common-gate LNA and differential colpitts VCO/QVCO In 0.18-/spl mu/m C**

Xiaoyong Li; Shekhar, S.; Allstot, D.J.;

[Solid-State Circuits, IEEE Journal of](#)

Volume 40, Issue 12, Dec. 2005 Page(s):2609 - 2619

Digital Object Identifier 10.1109/JSSC.2005.857426

[AbstractPlus](#) | Full Text: [PDF\(856 KB\)](#) IEEE JNL
[Rights and Permissions](#)

6. **A sub-mW 960-MHz ultra-wideband CMOS LNA**
Wang, S.B.T.; Niknejad, A.M.; Brodersen, R.W.;
[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 2005. Digest of Papers, 2005 IEEE](#)
12-14 June 2005 Page(s):35 - 38
Digital Object Identifier 10.1109/RFIC.2005.1489203
[AbstractPlus](#) | Full Text: [PDF\(218 KB\)](#) IEEE CNF
[Rights and Permissions](#)

7. **CMOS RF LNA with high ESD immunity**
Siu-Keitang; Cheong-Fat Chan; Chiu-Sing Choy; Kong-Pang Pun;
[Circuits and Systems, 2004. Proceedings. The 2004 IEEE Asia-Pacific Conference on](#)
Volume 1, 6-9 Dec. 2004 Page(s):321 - 324 vol.1
Digital Object Identifier 10.1109/APCCAS.2004.1412759
[AbstractPlus](#) | Full Text: [PDF\(564 KB\)](#) IEEE CNF
[Rights and Permissions](#)

8. **Common base amplifier with 7-dB gain at 176 GHz in InP mesa DHBT technology**
Paldi, V.; Griffith, Z.; Wei, Y.; Dahlstrom, M.; Parthasarathy, N.; Urteaga, M.; Rodwell, M.J.W.; [Fun](#)
[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 2004. Digest of Papers, 2004 IEEE](#)
6-8 June 2004 Page(s):189 - 192
Digital Object Identifier 10.1109/RFIC.2004.1320567
[AbstractPlus](#) | Full Text: [PDF\(362 KB\)](#) IEEE CNF
[Rights and Permissions](#)

9. **A low-noise baseband 5-GHz direct-coupled HBT amplifier with common-base active input n**
Kobayashi, K.W.; Oki, A.K.;
[Microwave and Guided Wave Letters, IEEE \[see also IEEE Microwave and Wireless Components\]](#)
Volume 4, Issue 11, Nov. 1994 Page(s):373 - 375
Digital Object Identifier 10.1109/75.329710
[AbstractPlus](#) | Full Text: [PDF\(212 KB\)](#) IEEE JNL
[Rights and Permissions](#)

10. **Design of 0.35 /spl mu/m SiGe LNAs for UWB communications systems**
Touati, F.;
[Microelectronics, 2004. ICM 2004 Proceedings. The 16th International Conference on](#)
6-8 Dec. 2004 Page(s):37 - 40
Digital Object Identifier 10.1109/ICM.2004.1434199
[AbstractPlus](#) | Full Text: [PDF\(188 KB\)](#) IEEE CNF
[Rights and Permissions](#)

11. **Ultra wideband CMOS low noise amplifier with active input matching**
Vishwakarma, S.; Sungyong Jung; Youngjoong Joo;
[Ultra Wideband Systems, 2004. Joint with Conference on Ultrawideband Systems and Technologies \(IWUWB\), 2004 International Workshop on](#)
18-21 May 2004 Page(s):415 - 419
Digital Object Identifier 10.1109/UWBST.2004.1321007
[AbstractPlus](#) | Full Text: [PDF\(365 KB\)](#) IEEE CNF
[Rights and Permissions](#)

12. **A novel design approach for GHz CMOS low noise amplifiers**
Li, X.; Kim, H.-S.; Ismail, M.; Olsson, H.;
[Radio and Wireless Conference, 1999. RAWCON 99, 1999 IEEE](#)
1-4 Aug. 1999 Page(s):285 - 288
Digital Object Identifier 10.1109/RAWCON.1999.810986
[AbstractPlus](#) | Full Text: [PDF\(180 KB\)](#) IEEE CNF

Rights and Permissions

13. A capacitor cross-coupled common-gate low-noise amplifier
Zhuo, W.; Li, X.; Shekhar, S.; Embabi, S.H.K.; de Gyvez, J.P.; Allstot, D.J.; Sanchez-Sinencio, E.; *Circuits and Systems II: Express Briefs, IEEE Transactions on* [see also *Circuits and Systems II: Analog Signal Processing, IEEE Transactions on*]
Volume 52, Issue 12, Dec. 2005 Page(s):875 - 879
Digital Object Identifier 10.1109/TCSII.2005.853966
[AbstractPlus](#) | [Full Text: PDF\(568 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

14. Generating all two-MOS-transistor amplifiers leads to new wide-band LNAs
Brucolieri, F.; Klumperink, E.A.M.; Nauta, B.; *Solid-State Circuits, IEEE Journal of*
Volume 36, Issue 7, July 2001 Page(s):1032 - 1040
Digital Object Identifier 10.1109/4.933458
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(316 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

15. A 5.2-GHz LNA In 0.35-/spl mu/m CMOS utilizing inter-stage series resonance and optimizing resistance
Choong-Yul Cha; Sang-Gug Lee; *Solid-State Circuits, IEEE Journal of*
Volume 38, Issue 4, April 2003 Page(s):669 - 672
Digital Object Identifier 10.1109/JSSC.2003.809523
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(412 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

16. A 24-GHz CMOS front-end
Xiang Guan; Hajimiri, A.; *Solid-State Circuits, IEEE Journal of*
Volume 39, Issue 2, Feb. 2004 Page(s):368 - 373
Digital Object Identifier 10.1109/JSSC.2003.821783
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(336 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

17. A 1.2V, 1.8 GHz CMOS two-stage LNA with common-gate amplifier as an input stage
Siu-Kei Tang; Cheong-Fat Chan; Chiu-Sing Choy; Kong-Pang Pun; *ASIC. 2003. Proceedings. 5th International Conference on*
Volume 2, 21-24 Oct. 2003 Page(s):1042 - 1045 Vol.2
[AbstractPlus](#) | [Full Text: PDF\(307 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

18. Transimpedance amplifiers for optical fiber systems based on common-base transistors
Martinez-Castillo, J.; Silva-Martinez, J.; *Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on*
Volume 6, 30 May-2 June 1999 Page(s):85 - 88 vol.6
Digital Object Identifier 10.1109/ISCAS.1999.780101
[AbstractPlus](#) | [Full Text: PDF\(260 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

19. Comparison of the load-pull power characteristics of common-emitter and common-base heterojunction transistors
Samelis, A.; Pavlidis, D.; Pehlke, D.R.; Ho, W.J.; Higgins, J.A.; Sailer, A.; *High Speed Semiconductor Devices and Circuits. 1995. Proceedings., IEEE/Cornell Conference on*
7-9 Aug. 1995 Page(s):243 - 252
Digital Object Identifier 10.1109/CORNEL.1995.482441
[AbstractPlus](#) | [Full Text: PDF\(660 KB\)](#) | [IEEE CNF](#)

Rights and Permissions

20. **Transistor Blocking Oscillator Analysis**
Korzekwa, S.;
Circuit Theory, IRE Transactions on
Volume 8, Issue 4, Dec 1961 Page(s):473 - 479
[AbstractPlus](#) | Full Text: [PDF\(800 KB\)](#) IEEE JNL
[Rights and Permissions](#)

21. **Low-power g_{sub} m-boosted LNA and VCO circuits in 0.18 /spl mu/m CMOS**
Xiaoyong Li; Shekhar, S.; Allstot, D.J.;
Solid-State Circuits Conference, 2005. Digest of Technical Papers, ISSCC, 2005 IEEE International
6-10 Feb. 2005 Page(s):534 - 615 Vol. 1
Digital Object Identifier 10.1109/ISSCC.2005.1494105
[AbstractPlus](#) | Full Text: [PDF\(755 KB\)](#) | [Multimedia](#) IEEE CNF
[Rights and Permissions](#)

22. **Circuit techniques for CMOS multiple-antenna transceivers**
Allstot, D.J.; Aniruddhan, S.; Banerjee, G.; Min Chu; Xiaoyong Li; Paramesh, J.; Shekhar, S.; Soura
Radio Frequency integrated Circuits (RFIC) Symposium, 2005. Digest of Papers, 2005 IEEE
12-14 June 2005 Page(s):225 - 228
Digital Object Identifier 10.1109/RFIC.2005.1489639
[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF
[Rights and Permissions](#)

23. **A 5.2GHz LNA in 0.35μm CMOS utilizing inter-stage series resonance and optimizing the su**
Choong-Yul Cha; Sang-Gug Lee;
Solid-State Circuits Conference, 2002. ESSCIRC 2002. Proceedings of the 28th European
24-26 Sept. 2002 Page(s):339 - 342
[AbstractPlus](#) | Full Text: [PDF\(384 KB\)](#) IEEE CNF
[Rights and Permissions](#)

24. **A coplanar 94 GHz low-noise amplifier MMIC using 0.07 /spl mu/m metamorphic cascode HEMT**
Tessmann, A.; Leuther, A.; Schwoerer, C.; Massler, H.; Kudszus, S.; Reinert, W.; Schlechtweg, M.;
Microwave Symposium Digest, 2003 IEEE MTT-S International
Volume 3, 8-13 June 2003 Page(s):1581 - 1584 vol.3
[AbstractPlus](#) | Full Text: [PDF\(345 KB\)](#) IEEE CNF
[Rights and Permissions](#)

25. **A 2.4GHz sub-1 dB CMOS low noise amplifier with on-chip interstage inductor and parallel inductor**
Jie Long; Badr, N.; Weber, R.;
Radio and Wireless Conference, 2002. RAWCON 2002. IEEE
11-14 Aug. 2002 Page(s):165 - 168
Digital Object Identifier 10.1109/RAWCON.2002.1030143
[AbstractPlus](#) | Full Text: [PDF\(413 KB\)](#) IEEE CNF
[Rights and Permissions](#)

View: 1-25 |